

GANZ, V.; PRONEK, A.

Effect of nitroglycerin on coronary and general hemodynamics and on oxygen metabolism in the myocardium. Cas.lek.cesk. no.15:400-405 '60.

1. Ustav pro choroby obehu krevniho, Praha-Krc, reditel prof.Dr.
Sc Kl. Weber.

(NITRITES pharmacol.)

(MYOCARDIUM metab.)

(BLOOD CIRCULATION pharmacol.)

GANZ, V. FRONČEK, A.

Measurement of the flow in the sinus coronarium using a method of local thermodilution. Cas.lek.cesk. 99 no.18:545-557 29 Ap '60.

1. Ústav pro choroby oběhu krve, Praha-Křo, reditel prof.
MUDr. Klement Weber.
(CAROTID SINUS physiol.)

FRONEK, A.; GANZ, V.; HAMMER, J.; PISA, Z.

Basic levels of coronary systemic circulations and oxygen metabolism in dogs under anesthesia. Cesk.fysiol. 9 no.3:228 My '60.

1. Ustav pro choroby obehu krevního, Praha.
(BLOOD CIRCULATION)
(OXYGEN blood)
(CORONARY VESSELS physiol)
(ANESTHESIA GENERAL)

FRONKOVA, K.; FRONEK, A.; GANZ, V.

Change of cardiac minute volume by means of non-conditioned food reflex in dogs. Cesk.fysiol. 9 no.3:229- My '60.

1. Ustav pro choroby obehu krevniho, Praha
(BLOOD VOLUME)
(HEART physiol)
(REFLEX)

GANZ, V.; PRONEK, A.

Effect of nitroglycerin on coronary and systemic hemodynamics
and on oxygen metabolism of the myocardium. Cesk.fysiol. 9 no.3:
284-285 My '60.

1. Ustav pro choroby obehu krevniho, Praha.
(MYOCARDIUM metab)
(CORONARY VESSELS pharmacol)
(BLOOD PRESSURE pharmacol)
(NITRITES pharmacol)

GANZ, V.; FRONEK, A.; HANEK, J.

An investigation of the pharmacological treatment of angina pectoris.
Rev. czech. M. 8 no.2:137-142 '62.

1. Institute for Cardiovascular Research, Prague; Director: Academician
K. Weber, M.D.

(ANGINA PECTORIS therapy) (NITRATES therapy)
(PAPAVERINE therapy) (EPINEPHRINE pharmacol)
(ERGOT ALKALOIDS pharmacol)

FENCL, Vladimir; GANZ, Vilem; CORT, Josef H.; JIRKA, Jiri; technicka
spoluprace HORACKOVE, D.; HRABETOVE, J.; KOTRBATE, M.; VANICKOVE, V.

Modification of the renal fraction of the minute volume in hemorrhagic
hypotension in the dog. Cas. lek. cesk. 101 no.34:1025-1027 24 Ag '62.

1. Ustav pro choroby obehu krevniho v Praze, reditel doc. dr. J. Brod,
DrSc.

(BLOOD VOLUME) (KIDNEYS) (HYPOTENSION)
(HEMORRHAGE)

GANZ, V. Technical assistance: HRABETOVA, J.; VANICKOVA, V.

The effect of adrenaline on the relationship between oxygen need and supply in the myocardium. Cor. vasa 6 no.2:142-146 '64.

1. Institute for Cardiovascular Research, Prague.

*

GANZBURG, A.

We check and help. Okhr. truda i sots. strakh. 6 no.3:9-10
Mr '63. (MIRA 16:4)

1. Predsedatel' obshchestvennoy komissii sotsial'nogo strakhovaniya pri oblastnom komitete professional'nogo soyuza rabochikh lesnoy, derevobrabatyvayushchey i bumazhnoy promyshlennosti, Irkutsk.

(Irkutsk Province—Industrial hygiene)

GANZBURG, G. M.

USSR/Metals - Steel, Analysis
Chemistry - Analysis, Steel

Sep 50

"Photocolorimetric Titration in Analysis of Alloy Steels," M. S. Gaukhaman, B. E. Reznik, G. M. Ganzburg, Dnepropetrovsk State U

"Zavod Lab" Vol XVI, No 9, pp 1045-1048

Develops accelerated method for determination of Mn and Cr from single sample using photocolorimetric titration. Average accuracy of determination is 0.02% for Mn at contents from 0.4 to 1.2% and 0.22% for Cr at contents from 15 to 30%, time - 25 min. Method is suitable for melting control. Describes methods for determination of V in steels. Determination time is 35 min, average accuracy 0.02% at V contents from 0.24 to 2.26%.

FDD PA 169T49

GANZBURG, G. M.

"Studying Certain Complex-Forming Reactions and the Oxidation-Reduction of the Transition Elements." Cand Chem Sci, Dnepropetrovsk State U, Dnepropetrovsk, 1954. (KL, No 2, Jan 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (12)

SO: SUM No. 556, 24 Jun 55

GANZBURG, G. M.

137-58-5-11137

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 5, p 319 (USSR)

AUTHORS: Ganzburg, G. M., Dlugach, R. Ye.

TITLE: Determination of Manganese and Chromium in Steel With the Aid of a Cobalt-copper-nickel Catalyst (Opredeleniye margantsa i khroma v stali s kobal'to-medno-nikelevym katalizatorom)

PERIODICAL: Tr. Nauchno-tekh. o-va chernoy metallurgii. Ukr. resp. pravl. 1956, Vol 4, pp 82-88. Comments, pp 89-92

ABSTRACT: A method was developed for the rapid determination of Mn and Cr in high-chromium, Cr-Ni, and carbon steels without the employment of AgNO_3 . 100 cc of an aqueous solution containing 0.25% of $\text{CoSO}_4 \cdot 7\text{H}_2\text{O}$, 0.4% of $\text{NiSO}_4 \cdot 7\text{H}_2\text{O}$, and 0.5% of $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ serve as a catalyst; as usual, $(\text{NH}_4)_2\text{S}_2\text{O}_8$ is added the solution is boiled until the coloring of the MnO_4^- ion appears and the excess of the $(\text{NH}_4)_2\text{S}_2\text{O}_8$ is decomposed. In the case of high-chromium steel, the process of determination is completed by titration in a titration photolorimeter employing a glass or a liquid light filter (30 cc of 0.0762 N solution of CuCl_2 plus 10 cc of concentrated HCl). Mn is titrated with arsenite or thiosulfate

Card 1/2

137-58-5-11137

Determination of Manganese (cont.)

until the needle of the galvanometer comes to rest; 5-6 drops of 0.2% phenylanthranil acid are added to the solution and Cr is titrated with a solution of Mohr's salt until a sharp deflection of the galvanometer needle is observed. The process of determination requires 15-20 minutes. In the case of Cr-Ni and carbon steels, the process of determination is concluded by visual titration: the Mn is titrated with thiosulfate, 5-6 drops of phenylanthranil acid are added, and the Cr is titrated with Mohr's salt. The process requires 8-10 minutes. Results obtained coincide with the results of the process in which an Ag catalyst was employed.

N.G.

1. Manganese--Determination
2. Chromium--Determination
3. Steel--Analysis
4. Cobalt-copper-nickel catalysts--Applications

Card 2/2

GANZBURG, G.M.; DLUGACH, R.Ye.

Determination of manganese and chromium in steel with a cobalt-copper-nickel catalyst. Ukr.khim.zhur. 23 no.4:533-536 '57.
(MIRA 10:10)

1.Dnepropetrovskiy gosudarstvennyy universitet.
(Steel--Analysis)

5(4)

AUTHORS:

Reznik, B. Ye., Ganzburg, G. M.

S07/78-4-4-22/44

TITLE:

Investigation of the Formation Reaction of Phosphomolybdenum-blue in Solution (Issledovaniye reaktsii obrazovaniya fosforomolibdenovoy sini v rastvore)

PERIODICAL:

Zhurnal neorganicheskoy khimii, 1959, Vol 4, Nr 4, pp 845-851 (USSR)

ABSTRACT:

Physico-chemical analysis was used to investigate the conditions for the formation of phosphomolybdenum-blue (by the reduction of phosphomolybdates with iron (II) sulfate) in regard to dependence upon the acidity, the concentration of phosphate and molybdate, and the molar ratio $\frac{Mo}{P}$. The acidity was varied between pH 0.85 and 4.1. The investigations showed that in the formation of phosphomolybdenum-blue a change in the pH value influences the degree of polymerization of the molybdate ion and the oxidation power of the phosphomolybdate ion. The sensitivity of the reaction to phosphorus at different acidities was investigated, and it was found that the reaction is most sensitive at pH 2.18 to 2.8. It was also found that

Card 1/3

SOV/78-4-4-22/44

Investigation of the Formation Reaction of Phosphomolybdenum-blue in Solution

with a molar ratio $\frac{Mo}{P} < 12$ the equilibrium between the molybdates of various degrees of saturation is of determining importance. With a molar ratio $\frac{Mo}{P} > 12$ the equilibrium between phosphomolybdenum-blue and the ions of the phosphomolybdic and molybdic acids is determining. The saturated phosphomolybdates differ from the unsaturated in their oxidizing power against iron (II). The unsaturated phosphomolybdates are not reduced by divalent iron. It was found that with molar ratios $\frac{Mo}{P} < 12$ the optical density of the phosphomolybdenum-blue is proportional to the molybdenum concentration. On the basis of this finding a new method of determining the molybdenum concentration was suggested with which a determination can be carried out in 20 minutes. The molar absorption coefficients of phosphomolybdenum-blue were calculated at various pH values and they are given in a table. A table gives the relationship between the optical density of molybdenum-blue and phosphomolybdenum-blue. A third table gives the results of the analysis of 6 ferromolybdenum samples using the method developed. There

Card 2/3

Investigation of the Formation Reaction of Phosphomolybdenum-blue in Solution

SOV/76-4-4-22/44

are 11 figures, 3 tables, and 17 references, 14 of which are Soviet.

SUBMITTED: December 30, 1957

Card 3/3

REZNIK, B.Ye.; GANZBURG, G.M.; SACHKO, V.V.

Rapid variant of the rhodanide method for the determination of
molybdenum. Zav.lab. 28 no.3:277-278 '62. (MIRA 15:4)

1. Dnepropetrovskiy gosudarstvennyy universitet.
(Molybdenum—Analysis) (Thiocyanates)

GANZBURG, G. A., BEDNYAK, N. A., and REZNIK, B. Ye.

"Investigation of the Catalytic Action of Several Transition Elements
on the Reduction of Molybdenum by Thiocyanide/rodanid/"

submitted at the Conference on Kinetic Methods of Analysis, Ivanovo,
14-16 June 1960

So: Izvestiya Vysshikh Uchebnykh Zavedeniy SSSR, Khimiya i Khimicheskaya
Technologiya, Vol III, No 6 Ivanovo, 1960, pages 1113-1116.

REZNIK, B.Ye.; GANZBURG, G.M.

Photometric investigation of the formation of molybdenum-
rhodanide without the introduction of a reducing agent.

Ukr. khim. zhur. 28 no.1:117-117 '62. (MIRA 16:8)

1. Dnepropetrovskiy gosudarstvennyy universitet.

GALINSKY, G.M.; MAL'ISEVA, G.V.

Determination of cobalt and iron in nickel with ortho-phenanthroline. Zav.lab. 31 no.4:406-408 '65.

(ICRA 18:12)

1. Dnepropetrovskiy gosudarstvennyy universitet.

GANZBURG, I. M.

Ganzburg, I. M. On a method of approximation of continuous functions by trigonometric sums. Doklady Akad. Nauk SSSR (N.S.) 64, 13-16 (1949). (Russian)

Let C be the class of all continuous functions of period 2π , and let $S_n(f, x)$ denote the partial sums of the Fourier series of any $f \in C$. Given any real sequences $\{\alpha_n\}$ and $\{\beta_n\}$ we consider the expressions

$$\omega_n(\alpha_n, \beta_n; f, x) = \frac{1}{2} |S_n(f, x) + S_n(f, x + \alpha_n) + S_n(f, x + \beta_n)|$$

(thus we may assume that $|\alpha_n|, |\beta_n| \leq \pi$ for all n). It is shown that a necessary and sufficient condition that $\omega_n(\alpha_n, \beta_n; f, x)$ tend uniformly to every $f \in C$ is that

$$\alpha_n = \frac{4p\pi}{3(2n+1)} + O(1/(n \log n)),$$

$$\beta_n = \frac{4q\pi}{3(2n+1)} + O(1/(n \log n)),$$

where $p=p(n)$ and $q=q(n)$ are integers taking only a finite number of values, of the form $3r-1$ and $3s+1$, respectively. [For a result of similar type see the preceding review.]

A. Zygmund (Chicago, Ill.).

Source: Mathematical Reviews,

Vol.

10 No.

7

GANZBURG, I. M.

①
Ganzburg, I. M. On certain methods of approximation of summable functions by means of polynomials. Ukrain. Mat. Zhurnal 5, 304-311 (1953). (Russian)
 It is well known that if $f \in L_r(0, 2\pi)$ for $r > 1$, then for every $k > 0$ and almost every x

2
0
0

$$n^{-1} \sum_{k=1}^n |S_k(x; f) - f(x)|^k \rightarrow 0,$$

where the S_k are the partial sums of the Fourier series of f , and that this result fails for $r = 1$. It may be verified for functions satisfying $\int_{-\alpha}^{\alpha} |f(x-h) - 2f(x) + f(x+h)| dx = O(|h|^{\alpha})$, $0 < \alpha \leq 1$. To establish this the author shows that if

$$t_n(x; f) = \frac{1}{3} [S_n(x; f) + S_n(x + a_n; f) + S_n(x - a_n; f)],$$

$$a_n = 4\pi/3(2n+1),$$

then t_n converges to f at every point of its Lebesgue set. It is remarked that the corresponding summation method for numerical series given by the triangular matrix with entries $a_{nm} = \frac{1}{3}(1 + \cos 4\pi m/3(2n+1))$ is stronger than $(C, 1)$.

G. Klein (South Hadley, Mass.).

Mathematical Reviews
 May 1954
 Analysis

10-7-54
 LL

GAMMA 001, I. 1.

USSR/Mathematics - Approximation

21 Aug 53

"Approximation of Functions with Given Modulus of Continuity by Chebyshev Sums," I. M. Ganzburg, Dnepropetrovsk State Univ

DAN SSSR, Vol 91, No 6, pp 1253-1256

States that it is of considerable interest to determine the asymptotic behavior of the upper bound of the deviations of functions $f(x)$ from their Chebyshev sum $S_n(f, x)$ as extended to the class H_ω of given functions $f(x)$ ($-1 \leq x \leq 1$) for which the inequality $|f(x') - f(x'')| \leq \omega(x' - x'')$ holds; here $\omega(t)$ is a convex-upward function representing the modulus of

275T75

continuity. That is, the author considers the asymptotic evaluation of the quantity $E_n(H_\omega, x) = \sup |f(x) - S_n(f, x)|$ for f in H_ω and for any Lipschitz condition ω ($0 < \omega \leq 1$). Demonstrates a theorem that gives for each x in the interval $[-1, 1]$ the asymptotic behavior of E_n uniformly in $[-1, 1]$. Notes that this problem was solved by S. M. Nikol'skiy (Iz AN SSSR, Ser Matem. 10, 295, 1946) for Lipschitz condition ω and by A. F. Timan (DAN 77, No 6, 969, 1951) for Lipschitz condition ω ($0 < \omega < 1$). Acknowledges advice of Professors S. M. Nikol'skiy and A. F. Timan. Presented by Acad A. N. Kolmogorov 27 Jun 53.

20-5-3/48

AUTHOR: GANZBURG I.M.

20-5-3/48

TITLE: Generalization of Some Results due to Nikol'skiy S.M. and Timan A.F.
(Obobshcheniye nekotorykh rezul'tatov S.M.Nikol'skogo i A.F.Timana)

PERIODICAL: Doklady Akad.Nauk SSSR, 1957, Vol.116, Nr.5, pp.727-730 (USSR)

ABSTRACT: Let $MH^{(\alpha)}$ be the class of functions $f(x)$ defined on $[-1, +1]$ for which

$$|f(x') - f(x'')| \leq M |x' - x''|^\alpha \quad x', x'' \in [-1, +1], \quad 0 < \alpha \leq 1.$$

Let $s_n(f, x)$ be the partial sum of the Chebyshev series for $f(x)$.

Furthermore let

$$\sigma_{n,k}(f, x) = \frac{1}{k+1} \sum_{v=n-k}^n s_v(f, x) \quad (n=0, 1, 2, \dots; 0 \leq k \leq n)$$

and

$$E_n(MH^{(\alpha)}, x) = \sup_{f \in MH^{(\alpha)}} |f(x) - \sigma_{n,k}(f, x)|.$$

Theorem: For $n \rightarrow \infty$ there holds the asymptotic equation

Card 1/2

$$E_n \approx E_n(MH^{(\alpha)}, x) = \frac{2^{\alpha+1} M}{\pi^{2\alpha}} (1-x^2)^{\frac{\alpha}{2}} \int_0^{\frac{\pi}{2}} t^\alpha \sin t \, dt \cdot \ln \frac{n+1}{k+1} + O\left(\frac{1}{n^\alpha}\right).$$

Generalization of a Result due to Nikol'skiy S.M. and Timan A.P. 20-5-3/48

Here $O(1)$ means a magnitude uniformly bounded with respect to all $x \in [-1, +1]$ and all k ($0 \leq k \leq n$ for $0 < \alpha < 1$ and $0 \leq k \leq n\theta$, $0 < 1$ for $\alpha = 1$). Five Soviet references are quoted.

PRESENTED: By S.N. Bernshteyn, Academician, April 27, 1957

ASSOCIATION: Dnepropetrovsk State University imeni 300th Anniversary of the Reunion of Ukraine with Russia (Dnepropetrovskiy gosudarstvennyy universitet im 300-letiya vossoyedineniya Ukrainy s Rossiei)

SUBMITTED: January 3, 1957

AVAILABLE: Library of Congress

Card 2/2

16(1)

AUTHORS: Ganzburg, I.M. and Timan, A.F.

SOV/38-22-6-3/6

TITLE: Linear Approximation Processes by Algebraic Polynomials
for Functions Which Satisfy the Lipschitz Condition
(Lineynnye protsessy priblizheniya funktsiy, udovletvoryayush-
chikh usloviyu Lipshitsa, algebraicheskimi mnogochlenami)

PERIODICAL: Izvestiya Akademii nauk SSSR, Seriya matematicheskaya, 1958,
Vol 22, Nr 6, pp 771 - 810 (USSR)

ABSTRACT: The authors already announced great parts of the present
paper a longer time ago (Timan [Ref 13], Ganzburg [Ref 2]).
The investigation of the approximation by arithmetic means
of the partial sums of the Chebyshev series seems to be new,
as well as a generalization of the Chebyshev series and ap-
proximation by means of the partial sums of this generalized
series. This last method is denoted as the "linear approxi-
mation process by algebraic polynomials". The paper consists
of 6 paragraphs and contains 11 theorems with partially very
extensive proofs.
There are 18 references, 15 of which are Soviet, 1 German,
1 Hungarian, and 1 Polish.

Card 1/2

Linear Approximation Processes by Algebraic Polynomials SOV/38-22-6-3/6
for Functions Which Satisfy the Lipschitz Condition

PRESENTED: by S.L. Sobolev, Academician

SUBMITTED: June 25, 1957

Card 2/2

(1) 9T

PHASE 1 BOOK EXPLOITATION

50V/2x60

Vsesoyuznyy matematicheskiy s"yezd. 3rd, Moscow, 1956

Frudy. t. 4: Kratkiye sodержaniye sektiionnykh dokladov. Doklady inostrannykh uchenykh ("Transactions of the 1st All-Union Mathematical Conference in Moscow. vol. 4: Summary of Sectional Reports. Reports of Foreign Scientists") Moscow, Izd-vo AN SSSR, 1959. 287 p. 2,500 copies printed.

Sponsoring Agency: Akademiyu nauk SSSR. Matematicheskii institut.

PURPOSE: This book is intended for mathematicians and physicists.

COVERAGE: The book is Volume IV of the Transactions of the Third All-Union Mathematical Conference, held in June and July 1956. The book is divided into two main parts. The first part contains summaries of the papers presented by Soviet scientists at the Conference that were not included in the first two volumes. The second part contains the text of reports submitted to the editor by non-Soviet scientists. In those cases when the non-Soviet author of the paper is submit a copy of his paper to the editor, the title of the paper is used and, if the paper was printed in a previous volume, reference is made to the appropriate volume. The papers, both Soviet and non-Soviet, cover various topics in number theory, algebra, differential and integral equations, function theory, functional analysis, probability theory, topology, mathematical problems of mechanics and physics, computational mathematics, mathematical logic and the foundations of mathematics and the history of mathematics.

Yanenko, N.N. (Moscow). On the reduction of a system of quasilinear equations to a single quasilinear equation

Section on the Theory of Functions

Aasov, T.I. (Semipalatinsk). On the solution of a biharmonic problem

Arat'yakova, Ye. M. (Tosk). On functions of two complex variables with a given set of singular surfaces

Badalyan, G.V. (Yervan). On the representation of quasi-analytic functions

Lenburg, I.M. (Inepetrovsk). On the Riemann sums for integrals of the moduli of certain trigonometric polynomials. 47

eriken, B.N. (Moscow). On the summing of multiple series and Fourier integrals

10/24
basis, A.V. (Sverlovsk). The Riemann boundary value problem over a field of algebraic functions for systems of a pairs of functions.

01/01/2018

16(1)

AUTHORS: Ganzburg, I.M., Timan, A.P.

SOV/42-14-3-6/22

TITLE: On Riemannian Sums for the Integrals of the Absolute Values of Some Trigonometric Polynomials

PERIODICAL: Uspekhi matematicheskikh nauk, 1959, Vol 14, Nr 3, pp 123-128 (USSR)

ABSTRACT: Let

$$K_n(t) = \frac{\lambda_0^{(n)}}{2} + \sum_{k=1}^n \lambda_k^{(n)} \cos kt \text{ be a sequence of tri-}$$

gonometric polynomials, the coefficients of which form a convex or concave numerical system, and which satisfy the condition

$$|\lambda_k^{(n)}| \leq A + B |\lambda_0^{(n)}|, \quad k = 1, 2, \dots, n \text{ with positive}$$

constants A and B. The authors consider the sums

$$\sigma_n^r(x, \lambda) = \frac{2}{\pi^r} \sum_{y=1}^r |K_n(x - t_y)|,$$

Card 1/3

On Riemannian Sums for the Integrals of the
Absolute Values of Some Trigonometric Polynomials

30V/42-14-3-6/22

where $t_\nu = \frac{2\nu\tilde{r}}{r}$, $\nu = 0, 1, \dots, r$.

Theorem : If

$\frac{r}{2n+1}$ is an integer, then for $n \rightarrow \infty$ it holds

the asymptotic equation

$$\sigma_n^r(x, \lambda) = \frac{2(2n+1)}{r\tilde{r}} \operatorname{cosec} \frac{\tilde{r}(2n+1)}{2r} \left| \cos \left\{ \frac{(2n+1)\tilde{r}}{r} \left(\frac{1}{2} + \left[\frac{rx}{2\tilde{r}} \right] - \frac{rx}{2\tilde{r}} \right) \right\} \right| \cdot$$

$$\cdot \sum_{k=0}^n \frac{\lambda_k^{(n)}}{n-k+1} \left| + O \left(A + B/\lambda_0^{(n)} \right) \right| ,$$

where $O(1)$ is a uniformly bounded magnitude with respect to

n, x and $\frac{r}{2n+1}$.

Card 2/3

On Riemannian Sums for the Integrals of the
Absolute Values of Some Trigonometric Polynomials

S07/42-14-3-6/22

There are 7 references, 6 of which are Soviet, and
1 American.

SUBMITTED: February 4, 1956

Card 3/3

16(1)

SOV/7-128-3-3/58

AUTHOR: Ganzburg, I.M.

TITLE: The Extension of the Timan Asymptotic Formula to Classes of Functions Containing a Given Continuity Modulus

PERIODICAL: Doklady Akademii nauk SSSR, 1959, Vol 128, Nr 3, pp 447-449 (USSR)

ABSTRACT: Let

$$(1) \quad s_n(f, x) = \frac{a_0}{2} + \sum_{k=1}^n (a_k \cos kx + b_k \sin kx)$$

be the Fourier partial sum of $f(x) \in C$, where C is the space of the continuous 2π -periodic functions. Let the interpolation polynomial⁽ⁿ⁾

$$(2) \quad \tilde{s}_n(f, x) = \frac{a_0}{2} + \sum_{k=1}^n [a_k^{(n)} \cos kx + b_k^{(n)} \sin kx]$$

coincide with $f(x)$ in the knots $x_\nu^{(n)} = \frac{2\nu\pi}{2n+1}$ ($\nu = 0, 1, \dots, 2n$).

By a triangular matrix $\lambda_k^{(n)}$ ($k=0, 1, \dots, n+1$; $\lambda_0^{(n)}=1$, $\lambda_{n+1}^{(n)}=0$) there are defined two linear approximation processes:

Card 1/4

SOV/20-128-3-3/58

The Extension of the Timan Asymptotic Formula to Classes of Functions
Containing a Given Continuity Modulus

$$(3) \quad u_n(f, x, \lambda) = \frac{a_0}{2} + \sum_{k=1}^n \lambda_k^{(n)} [a_k \cos kx + b_k \sin kx],$$

$$(4) \quad \tilde{u}_n(f, x, \lambda) = \frac{a_0^{(n)}}{2} + \sum_{k=1}^n \lambda_k^{(n)} [a_k^{(n)} \cos kx + b_k^{(n)} \sin kx].$$

Let

$$(5) \quad E_n(\mathcal{M}, \lambda) = \sup_{f \in \mathcal{M}} |f(x) - u_n(f, x, \lambda)|,$$

$$(6) \quad \tilde{E}_n(\mathcal{M}, x, \lambda) = \sup_{f \in \mathcal{M}} |f(x) - \tilde{u}_n(f, x, \lambda)|.$$

Theorem 1: Let H^α be the class of the functions $f(x)$ which are $\text{Lip } \alpha$, $0 < \alpha < 1$, with the constant M ; let $\lambda_n^{(k)}$ be a

convex number system ($\Delta^2 \lambda_k^{(n)} \leq 0$, $k=0, 1, \dots, n-1$); let

Card 2/4

$|\Delta \lambda_0^{(n)}| = O(\frac{1}{n})$. Then it is

SOV/20-128-3-3/58

The Extension of the Timan Asymptotic Formula to Classes of Functions Containing a Given Continuity Modulus

$$(8) \quad \tilde{E}_n(H^{(\alpha)}, x, \lambda) = \left(\frac{\pi}{2}\right)^{\alpha+1} \frac{|\sin(n+\frac{1}{2})x|}{\int_0^{\pi/2} t^{\alpha} \sin t \, dt} E_n(H^{(\alpha)}, \lambda) + O\left(\frac{1}{n^{\alpha}}\right)$$

for $n \rightarrow \infty$, where $O(1)$ is uniformly bounded with respect to n and x .

Theorem 2: Let H_{ω} be the class of the $f(x)$ with a given convex continuity modulus $\omega(t)$; the numbers

$\frac{1 - \lambda_k^{(n)}}{k}$ are not to decrease and their system is assumed to be concave with respect to k . Then it is

$$(9) \quad \tilde{E}_n(H_{\omega}, x, \lambda) = \frac{\pi}{2} \frac{\omega(\frac{2\pi}{2n+1}) |\sin(n+\frac{1}{2})x|}{\int_0^{\pi/2} \omega(\frac{4t}{2n+1}) \sin t \, dt} E_n(H_{\omega}, \lambda) + O\left(\omega\left(\frac{1}{n}\right)\right)$$

Card 3/4

SOV/20-128-3-3/52
The Extension of the Timan Asymptotic Formula to Classes of Functions
Containing a Given Continuity Modulus

for $n \rightarrow \infty$, where $O(1)$ is uniformly bounded in n and x .
Theorem 3 is unintelligible because of a misprint.
S.M.Nikol'skiy is mentioned; the author thanks A.F.Timan
for the subject.

There are 8 Soviet references.

ASSOCIATION: Dnepropetrovskiy gosudarstvennyy universitet imeni 300-
letiya vossoyedineniya Ukrainy s Rossiyei (Dnepropetrovsk
State University imeni 300 letiya vossoyedineniya Ukrainy
s Rossiyei)

PRESENTED: May 26, 1959, by S.N.Bernshteyn, Academician

SUBMITTED: May 25, 1959

Card 4/4

GANZBURG, I.M.

Extending A.F. Timan's asymptotic formula to classes of
functions with a given continuity modulus. Izv. AN SSSR Ser.
mat. 27 no.3:485-528 My-Je '63. (MIRA 16:6)

(Functions, Continuous)

GLUKHANOV, N. P., kand. tekhn. nauk; GANZBURG, L. B., inzh.

Shielded synchronous magnetic clutches. Trudy NIITVCH no. 4:
114-120 '63. (MIPA 17:7)

ACC NR: AP6035534

SOURCE CODE: UR/0292/66/000/010/0036/0038

AUTHOR: Glukhanov, N. P. (Candidate of technical sciences);
Ganzburg, L. B. (Engineer)

ORG: none

TITLE: Shielded clutches

SOURCE: Elektrotehnika, no. 10, 1966, 36-38 .

TOPIC TAGS: clutch, synchronous clutch, electric clutch

ABSTRACT: A few shielded synchronous clutches developed or tested at VNII TVCh and intended for chemical, nuclear, and other industries are described. The clutches transmit rotation or thrust to the inside of a sealed industrial machine or apparatus. Essentially, they consist of a toothed outside (wound) member, an isolating shield (1Kh18N9T nonmagnetic steel), and a toothed inside

Card 1/2

UDC: 621.825.7.001.3

ACC NR: AP6035534

member. Several versions are briefly described or mentioned: a synchronous clutch for 150-atm pressure difference; a "star"-type-magnet clutch; a "bushing"-type-magnet clutch; a homopolar axial-magnet clutch for 20000 rpm, 30 kg·cm, 1.5 atm; a homopolar end-type axial-magnet clutch for 3000 rpm, 2 atm, 5 kw; a planetary-reducer-type clutch; a thrust-type clutch. "Engineer N. M. Rumyantsev took part in designing the clutches." Orig. art. has: 5 figures.

SUB CODE: 13, 09 / SUBM DATE: none / ORIG REF: 007

Card 2/2

GANZBURG, M.

PA 26/49T95

USSR/Radio Receivers
Radio Apparatus

Jan 49

"Converter Working on the 160-Meter Band,"
M. Ganzburg, $\frac{1}{2}$ p

"Radio" No 1

Circuit diagram, arrangement of parts, and
adjustment of a converter to 160-meter band.
May be joined to any short-wave receiver hav-
ing the 40-meter band.

26/49T95

GANZBURG, M.

USSR/Radio - Radio, Receivers.
Radio, Amateur

Mar 50

PA 157T96
"Battery Receiver Made From Factory Parts," M. Ganz-
burg, Design Sec, DOSARM Cen Radio Club, 4 pp

"Radio" No 3

Many rural radio amateurs wish to build their own
superhets, and some are beginning to copy the Ro-
dina," which is not considered advisable. Describes
two suitable batteries, three-bute superhets which can
be built by amateurs. First is similar to ARZ-49
set, and uses small tubes -- SB-242, 2K2M, and 2P4M
or SO-244. Second is similar, but uses miniature

157T96

USSR/Radio - Radio, Receivers
(Contd)

Mar 50

tubes -- 1A1P, 1B1P, and 2P1P. Both sets re-
quire external antennas 15-20 meters long and
8-10 meters high.

157T96

GANZBURG, N.

IA 159T105

USSR/Radio - Receivers
Radio Receivers, Battery

May 50

"Tube Receiver for Rural Districts," N. Ganzburg,
4½ pp

"Radio" No 5

Describes, with four schematic diagrams, Ogonek-2 receiver, exhibited in Fourth Moscow Mun Radio Exhibition; simplest form of battery superhet for rural districts. Uses four 2K2M- or 2Zh2M-type tubes. Electrical characteristics like those of ARZ-49 and Moskvich. Receives on 730--2,000 meters long wave and 200-545 meters medium wave.

159T105

GANZBURG, M. D.

Economic battery superheterodyne. Moskva, Gosenergoizdat, 1951.

GANZBURG, M.

PA 190T100

USSR/Radio - Probe

Jun 51

"A Probe for Checking Receivers," M. Ganzburg

"Radio" No 6, pp 27, 28

Describes homemade probe for preliminary checking of receivers to locate the faulty stage. Entire probe is housed in an i-f can, 65 x 35 x 35 mm, and main circuit uses a 1K1P tube, connected as a triode. When checking rf stages, tube is connected up as grid detector; when checking af stages, tube operates as af amplifier. Output is fed into headset connected in the plate circuit.

190T100

GANZBURG, M. D.

Three-tube superheterodyne receiver

Moskva, Gos. energ. izd-vo, 1952. 31 p.

(Massovaia radiobiblioteka, vyp. 145)

(54-18905)

TK6563.G3

GANZBURG, M.D.; KONASHINSKIY, D.A., redaktor; VORONIN, K.P., tekhnicheskii redaktor.

[How to check and adjust a radio receiver] Kak proverit' i naladit' priemnik. Moskva, Gos. energ. izd-vo, 1954. 53 p. (Massovaya radiobiblioteka, no. 198) (MLRA 7:9)
(Radio--Receivers and reception)

VASIL'YEV, S.; GANZBURG, M.

"Moskvich-3" radio receiver. Radio no.3:23-25 Mr '54. (MLRA 7:3)
(Radio--Receivers and reception)

GANZBURG, M.

~~Homemade~~ intermediate-frequency filters. Radio no. 0:55-56 0 '54.
(Electric filters) (MIRA 7:11)

GANZBURG, M.

USSR/ Electronics - Radio combination

Card 1/1 Pub. 89 - 28/30

Authors : Ganzburg, M., and Skorospelov, D.

Title : ~~XXXXXXXXXX~~
Homemade combined radio and phonograph sets

Periodical : Radio 3, 59 - 61, Mar 1955

Abstract : The schematic drawing is given of the circuit of a homemade combined radio and phonograph set. Directions are also given for constructing the set, most of the parts of which are factory-made but many of which are also made at home. The method of tuning is also explained. Illustrations; drawing; table.

Institution :

Submitted :

GANZBURG, M.; LEVINTOV, G.

"Ogonek" the radio receiver. Radio no. 10:19 0'55. (MLRA 9:1)
(Radio--Receivers and reception)

GANZBURG, M.D.; TARASOV, F.I., redaktor; VORONIN, K.P., tekhnicheskii
redaktor

[Attachments for detector receivers] Pristavki k detektornomu
priemniku. Moskva, Gos.energ. izd-vo, 1956. 15 p. (Massovaya radio-
biblioteka, no.261) (MIRA 10:2)
(Radio--Receivers and reception)

GANZBURG, M. D

107-5-19/54

AUTHOR: Ganzburg, M. and Skorospelov, D.

TITLE: A Simple Superheterodyne (Prostoy supergeterodin)

PERIODICAL: Radio, 1956, Nr5, pp. 17-19 (USSR)

ABSTRACT: A selfmade superhet radio receiver is described. It has two bands: 150 to 415 kc and 520 to 1.600 kc. Sensitivity at any point is better than 150 μ v, selectivity 20 db or higher. Nonlinear distortion factor is under 10% at 0.5 w output. A-f pass band of the overall receiver is 100 to 4.000 c with 5 db irregularity. Sensitivity at the pickup jacks 200 mv, background level 26 db. Power consumption 20 w. Bantam tubes. Pentode grounded-plate oscillator. Semiconductor-type two-diode rectifier.

Description of all parts and how to make them with very limited facilities is given; also the schematic, parts, and assembly views. Tube types used: 6A2П, 6K4П, 6Ж3П, 6П1П.

There are 6 figures and one table in the article.

AVAILABLE: Library of Congress.

Card 1/1

ANDREYEV, I.; GANZBURG, M.

Band selector for radio-broadcasting receivers. V pom. radiolub.
no.3:48-64 '57. (MIRA 10:12)

(Radio--Receivers and reception)

Ganzburg, M.D.

107-57-6-35/57

AUTHOR: Andreyev, I., and Ganzburg, M.

TITLE: A Keyboard Switch with a Common Contact Panel
(Klavishnyy pereklyuchatel' s obshchey kontaktnoy panel'yu)

PERIODICAL: Radio, 1957, Nr 6, pp 36-38 (USSR)

ABSTRACT: A five-key do-it-yourself type panel-mounted control switch is described. A detailed structural drawing with all dimensions is supplied on a special page facing page 32 of the magazine. Four keys are intended for changing wavebands, the fifth for on-off switching of the receiver. Instructions for making all details and assembling the switch are given. There are five figures in the article and one structural drawing combined with a pictorial diagram facing page 32.

AVAILABLE: Library of Congress

Card 1/1

ANDREYEV, Igor' Vasil'yevich, BERG, A.I., red.; BURLYAND, V.A., red.;
VANEYEV, V.I., red.; GENISHTA, Ye.N., red.; DZHIGIT, I.S., red.;
KANAYEVA, A.M., red.; KHEMKEL', E.T., red.; KULIKOVSKIY, A.A., red.;
SMIRNOV, A.D., red.; TARASOV, F.I., red.; CHECHIK, P.O., red.; SHAMSHOV,
V.I., red.; GANZBURG, M.D., red.; MEDVEDEV, L.Ya., ~~red.~~

[Cabinet designs for radio receivers] Vneshee oformlenie priemnika.
Moskva, Gos. energ. izd-vo, 1958. 46 p. (MIRA 11:8)
(Radio--Receivers and reception)

GANZBURG, Mark Davydovich; SHUL'GIN, K.A., red.; BOBUNOV, N.I., tekhn. red.

[Improving phonation of receivers] Uluchshenie zvuchaniia priemnika.
Moskva, Gos. energ. izd-vo, 1958. 94 p. (Massovaya radiobiblioteka,
no.299) (MIRA 11:7)

(Radio--Receivers and reception)

GANZBURG, M.D.

AUTHOR: Ganzburg, M.D.

106-58-3-4/19

TITLE: Recent Developments in Foreign Radio Receivers (Novoye v zarubezhnykh radiopriyemnikakh)

PERIODICAL: *Elektrosvyaz'*, 1958, Nr 3, pp 29 -- 40 (USSR)

ABSTRACT: A review of foreign (particularly West German) developments in ultra-short wave, frequency-modulation, receivers. The following circuits are produced and discussed:- 1) Input stages (grounded-grid, bridge-balanced, etc.); 2) Noise suppression circuits; 3) Automatic pass-band limiters with balanced tone control; 4) Push-pull output stages without phase inversion; 5) Wide-band output stages not using transformers; 6) Low-frequency amplifiers giving pseudo-stereoscopic sound effects. There are 16 figures.

SUBMITTED: November 22, 1957

AVAILABLE: Library of Congress

Card 1/1.

1. Frequency modulation receivers-Development Germany 2. Radio receivers-

GANZBURG, M. D

107-58-5-26/32

AUTHOR: Ganz burg, M.

TITLE: Two-Channel LF Amplifier (Dvukhkanal'nyy usilitel' NCh)

PERIODICAL: Radio, 1958, Nr 5, pp 49 - 50 (USSR)

ABSTRACT: A simple, two-channel, low-frequency amplifier is described, which may be used for stereophonic reproduction of concerts, recorded on tape or long-play records, or for receiving high-quality FM broadcasts. Figure 1 shows the circuit diagram of this amplifier which may be easily built by radio amateurs. The article contains descriptions of the various parts, and instructions for assembling. The amplifier is built with five miniature tubes: two "6N2P" and three "6P14P". The channel for the lower sound frequencies has the highest output, nominal rating 4 voltamperes, maximum 9 voltamperes with a non-linear distortion coefficient of 2.5%; it has a push-pull output stage with two "6P14P" tubes. The higher sound frequency channel has a nominal output of 1.5 voltamperes and a maximum of 3 voltamperes with a non-linear distortion coefficient of 4.5%. The amplifier reproduces sound frequencies from 60 to 15,000 cycles. The background noise at the outlet of the lower frequency channel does not exceed

Card 1/2

Two-Channel LF Amplifier

107-58-5-26/32

46 decibels at full power. The sensitivity of the amplifier is 129 millivolts. The power supply unit consists of diodes "DG-Ts27". Four electrodynamic loudspeakers are used, two for the lower and two for the higher frequencies. The amplifier was designed to work with exterior loudspeakers, however, it is also possible to install all four loudspeakers in one housing. In the first case loudspeakers "4GD-1" or "GD-3" are used for the lower frequencies and two-diffusor loudspeakers "2GD-3" for the higher frequencies. In the second case, loudspeakers "5GD-14" or "5GD-9" for the lower frequencies, and "2GD-3" or "1GD-9" for the higher frequencies, are used.

There are four figures.

AVAILABLE: Library of Congress

Card 2/2

SHTEYYERT, Lev Alekseyevich; GANZBURG, M.D., red.; VORONIN, K.P.,
tekh.n.red.

[Adjustment of the microwave band in shortwave radio receivers]
Regulirovka UKV diapazona v lyubitel'skikh priemnikakh. Moskva,
Gos.energ.izd-vo, 1959. 15 p. (Massovaya radiobiblioteka, no.326).
(MIRA 13:11)

(Radio, Shortwave--Receivers and reception)

SOV/107-59-2-20/55

6(4)

AUTHOR: Ganzburg, M.

TITLE: Recent Developments in Ultra-Short Wave Input Units
(Novoye vo vkhodnykh UKV blokakh)

PERIODICAL: Radio, 1959, Nr 2, pp 21-23 (USSR)

ABSTRACT: The introduction of the ultra-short wave FM band in broadcast receivers has necessitated some essential corrections in designing cascades and nodal points. Multigrid frequency converters cannot be accepted for the ultra-short wave band because of their small input resistance and high noise level. At present, for the ultra-short wave band, almost solely triode single-grid frequency converters are used, with a big input resistance and a high coefficient of amplification. The use of a balancing network in single-grid converters, makes it possible to reduce the radiation of the heterodyne and thus diminish interferences of neighboring receivers and television sets;

Card 1/2

SOV/107-59-2-20/55

Recent Developments in Ultra-Short Wave Input Units

to achieve this, an h-f cascade amplifier will be placed before the frequency converter, which will also increase receiver sensitivity. In modern Soviet receivers, twin-triodes of the type 6N3P are used as well as various heterodyne circuits, depending on the tuning. There are 7 circuit diagrams.

Card 2/2

LEVITIN, Yefim Alekseyevich; GANZBURG, M.D., red.; LARIONOV, G.Ye.,
tekhn.red.

[Handbook on radiobroadcast receivers] Spravochnik po radio-
veshchatel'nykh priemnikam. Moskva, Gos.energ.izd-vo, 1960.
288 p. (MIRA 13:7)
(Radio--Receivers and reception) (Radio circuits)

~~GANZBURG, M.~~; KANTOR, D.; KOTEL'NIKOV, A.; KUPTSOV, A.

"IAuza-5" magnetic tape recorder. Radio no.12:27-30 D '60.
(MIRA 14:1)
(Magnetic recorders and recording)

GANZBURG, Mark Davidovich; TARASOV, F.I., red.; VORONIN, K.P., tekhn.
red.

[Improvement of the audio systems of radio receivers] Uluchshenie zvuchaniia priemnika. Izd.2., perer. i dop. Moskva, Gosenergoizdat, 1961. 143 p. (Massovaia radiobiblioteka, no.398) (MIRA 15:7)

(Radio--Receivers and reception)

ANDREYEV, I.V.; GANZBURG, M.D.; SOBOLEVSKIY, A.G.; CHESAKOV, S.F.;
SINEL'NIKOVA, TS.B., red.; MAMONTOVA, N.N., tekhn. red.

[Radio consumer goods]Radiotovary; spravochnik. Leningrad,
Gostorgizdat, 1962. 211 p. (MIRA 15:12)
(Radio---Equipment and supplies) (Phonograph)
(Television)

GANZBURG, Mark Davydovich; TARASOV, F.I., red.; BORUNOV, N.I.,
tekhn. red.

[Radio broadcast receivers] Radioveshchatel'nye priemniki.
Moskva, Gosenergoizdat, 1963. 24 p. (Massovaya radio-
biblioteka, no.476 p. (MIRA 17:1)

GANZBURG, M., inzh.; KANTOR, D., inzh.; KOTEL'NIKOV, A., inzh.

The "IAuza-10" stereophonic magnetic tape recorder. Radio
no.2:41-45 F '63. (MIRA 16:2)
(Magnetic recorders and recording)
(Stereophonic sound systems)

GANZBURG, Mark Davidovich; TARASOV, F.I., red.

[Electric motors for magnetic tape recorders] Elektro-
dvigateli dlia magnitofonov. Moskva, Energiia, 1964.
15 p. (Massovaia radiobiblioteka. Spravochnaia seriia,
no.553) (MIRA 18:1)

GANZBURG, Mark Davidovich; KUZ'MINOV, A.I., red.

[Radio-phonographs, phonograph and tape recorder combinations and tape recorder-radio-phonograph sets] Radiology, magnitoly i magnitoredioly. Moskva, Izd-vo "Energiia," 1964. 31 p. (Massovaya radiobiblioteka, no.522) (MIRA 17:9)

GANZBURG, M., inzh.; TAL'YANTSEV, A., inzh.

"IAuza-20" transistorized magnetic tape recorder. Radio
no.11:39-41 N '65. (MIRA 18:12)

GENDIN, Gennadiy Semenovich; GANZBURG, M.D., red.

[High-quality low-frequency amplifiers] Vysokokachestvennyye lyubitel'skie usiliteli nizkoi chastoty. Moskva, Energiia, 1965. 94 p. (Massovaya radlebiblioteka, no.577) (MIRA 19:1)

GANZBERG, M. M.

Timan, A. F., and Ganzburg, M. M. On the convergence of certain processes for the summation of Fourier series. Doklady Akad. Nauk SSSR (N.S.) 63, 619-622 (1948). (Russian)

Let C be the space of all functions $f(x)$ continuous and of period 2π , and let $S_n(f, x)$ be the n th partial sum of the Fourier series of f . Given p sequences of numbers $\{\alpha_n^1\}, \{\alpha_n^2\}, \dots, \{\alpha_n^p\}$ satisfying the condition (*) $\alpha_n^k = O(1/n)$ for all k , the authors consider the expression

$$(\dagger) \quad \omega_n(\alpha_n^1, \dots, \alpha_n^p; x, f) = p^{-1} \sum_{k=1}^p S_n(f, x + \alpha_n^k)$$

and show that a necessary and sufficient condition for (\dagger) to tend to $f(x)$ for all x is that

$$\sum_{k=1}^p \cos(n + \frac{1}{2})(\alpha_n^k - \alpha_n^1) = O(\log^{-1} n).$$

More generally it is shown that the norm of the operator (\dagger) in the space C is

$$4p^{-1}n^{-1} \log n \left| \sum_{k=1}^p \cos(n + \frac{1}{2})(\alpha_n^k - \alpha_n^1) \right| + O(1).$$

Let $\{\alpha_n\}$ be a sequence tending to 0 and $r \geq 0$ a fixed integer. For the sums $\omega_n^{(r)}(\alpha_n; f, x) = 2^{-r} \sum_{i=0}^r (-1)^i S_n(f, x + i\alpha_n)$ the authors show that they tend to $f(x)$, for all $f \in C$, if and only if there is a function $m = m(n)$ ($n = 1, 2, \dots$) taking only a finite number of (integral) values and such that $\alpha_n = 2m\pi/(2n+1) + O(n^{-1} \log^{-1/r} n)$. These theorems generalize some of the well-known results of Rogosinski [Math. Ann. 93, 110-134 (1925); Math. Z. 25, 132-149 (1926)]. A. Zygmund (Chicago, Ill.).

Source: Mathematical Reviews,

Vol 10 No. 7

[Handwritten signature]

GANSBURG S. E.

1012. TSUKER M. B. and GANSBURG S. E. CSF changes in poliomyelitis
Neuropathology and Psychiatry, Moscow 1949, 18/3 (40-43)

The diagnostic value of the protein and cellular content in cerebrospinal fluid are discussed. During the first five days of the disease a normal protein content was found and only a moderate increase of cells. Thereafter the protein content increased and attained its maximum (0.65 mg. per 100ml.) on the 14th day, while the cells decreased and returned to normal. In some cases elevated protein content, although moderate, persisted till the 21st day. Some deviations from the above picture are also described. In severe cases there was a pleocytosis and only a slight increase of protein.

Paul - New Haven

So. NEUROLOGY & PSYCHIATRY Section VIII Vol. 3¹ Jan-Jun 1950 Excerpta Medica

GANEBURU, S. .
(# 733)

Neurol. Dept., Child. Hosp. Dzerzhinsko Differential diagnosis of poliomyelitis and polyradiculoneuritis in children Vop. Pediat. 1950, 13/3 (17-21)
Polyradiculoneuritis (p.r.) also occurs in children, although rarely. Poliomyelitis (p.m.) always begins acutely with rise of temperature, whereas p.r. may begin with a normal temperature. The neurological manifestations of p.m. develop rapidly (1-2 days) whereas those of p.r. take several days or weeks to appear. In p.m. the paralysis is the most pronounced symptom and in p.r. the pain. In p.m. the paralyzes are 'mosaic' in distribution and chiefly proximal; in p.r. they are symmetrical and chiefly distal. In the first 5 days of p.m. the CSF shows slight pleiocytosis and normal protein content; in p.r. the cell count is normal and protein increased at this stage. From the 5th to the 14th day of p.m. the cell count becomes normal and the protein increases only slightly : in p.r. the cell count remains normal but the protein content continues to increase for several weeks.

Salamun - Koper (AA, 7, 3)

SO: EXCERPTA MEDICA Vol. 5 No. 3 Sec. III March 1952

GANZBURG, S.E.

Clinico-virological investigations in affections of nervous system,
caused by epidemic parotitis virus in children. Klin.med., Moskva 18 no.10:
44-50 Oct 50. (CML 20:4)

1. Of the Nervous Diseases Division of Children's Hospital imeni Dzerzhin-
skiy, Moscow.

GANZBURG S. E. and LEVIN E. R.

3491. GANZBURG S. E. and LEVIN E. R. * Haemogram and sedimentation rate in mumps meningitis (Russian text) PEDIATRIJA 1953, 1 (68)

116 children with meningitis and meningoencephalitis due to mumps were examined. The aetiology was confirmed epidemiologically and serologically. Leucopenia (in 74 children the count was less than 8,000) is characteristic; at the same time the sedimentation rate was normal. In the majority a neutrophilia with lymphopenia and eosinopenia was present. Najman - Rijeka (XX, 7, 8)

SO: Excerpta Medica, Section VIII, Vol 7, No 9

GANZ. RG 3. E.

*Results of a 13-year clinical and epidemiological study of poliomyelitis (Russian text),
PEDIATRIJA 1953, 1 (68-69)

Observations from 1938-1950 led to the following conclusions: The morbidity increases periodically. Foci with increased morbidity are precursors of epidemics. The highest frequency of cases is in August, the lowest in January. 62.3% of cases occur in children less than 4 yr old. Temperature is elevated in all children (higher than 38°C). 93% and subfebrile in the rest. The fever usually lasts 3-8 days. Catarrh of the upper respiratory tract occurs in 1/3 and gastro-intestinal disturbances in 1/6 of the cases. In nearly all cases affection of the meninges was present. Paralysis usually occurred between the 4th and 7th day.

Najman - Rijeka (XX, 4, 7, 8)

SO: Excerpta Medica
Section IV Vol 7 No. 9

GANZBURG, S.Ye.

[Epidemic infantile paralysis] Epidemicheskii detskii paralich.
Moskva, Medgiz, 1954. 95 p. (MLRA 7:12D)

TSUKER, M.B., professor; GANSBURG, S.E.

Acute progressive malignant form of poliomyelitis (ascending
poliomyelitis). Peditriia no.1:49-52 Ja-F '54. (MLRA 7:3)

1. Iz detskoy bol'nitsy im. Dzerzhinskogo (glavnyy vrach A.N.
Kudryasheva). (Poliomyelitis)

GANZBURG, S.R.

~~Polio~~myelitis. Zdorov'e 3 no.9:18-20 S '57.
(POLIOMYELITIS)

(MIRA 10:9)

GANZBURG, S.Ye.; BRAININA, R.A.; BOBAKOVA, M.I.; SAMBORSKAYA, Z.I.
IRTYACH-MUMOVA, B.I.; LOBKO, M.A.

Epidemiological study on possible shortening of the isolation period
in epidemic parotitis. Zhur. mikrobiol. epid. i immun. 28
no.2:38-39 F '57 (MLRA 10:4)

1. Iz Moskovskoy gorodskoy sanitarno-epidemiologicheskoy stantsii.
(MUMPS epidemiol.
shortening of isolation period)

GANZBURG, Semen Emmanuilovich

[Combined treatment of poliomyelitis in children] Kompleksnoe
lechenie poliomielitisa u detei. Moskva, Medgiz, 1959. 186 p.
(POLIOMYELITIS) (MIRA 13:9)

GANZBURG, S.E.

Diagnosis of aseptic meningitis induced by the mumps virus in
children. *Pediatrics* 37 no.10:79-84 0 '59. (MIRA 13:2)
(MENINGITIS etiol.)
(MUMPS compl.)

GANZBURG, S. E.; FREYDKOV, V. I.

Differential diagnosis of serous meningitis of enterovirus
etiology. *Pediatrics* no.6:8-12 '62. (MIRA 15:6)

1. Iz nevrologicheskogo otdeleniya Detskoy bol'nitsy imeni F. E.
Dzerzhinskogo (glavnyy vrach A. N. Kudryashova).

(MENINGITIS) (VIRUS DISEASES)
(DIAGNOSIS, DIFFERENTIAL)

GANZBURG, S.F. (Moskva)

Clinical aspects, treatment, and prevention of poliomyelitis.

Med.svestra no.6:25-30 Je '62.

(MIRA 15:8)

(POLIOMYELITIS)

GANZBURG, S.E.; TABOLIN, V.A.

Late neurological sequelae of hemolytic disease in newborn
infants. Vop. okhr. materin. dets. 8 no.1:44-48 '63
(MIRA 17:2)

1. Iz kafedry pediatrii (zav. - prof. G.N. Speranskiy) TSan-
tral'nogo instituta usovershenstvovaniya vrachey.

GANZEURG, S.E.

Clinical characteristics of lesions in the nervous system caused
by the ECHO type 9 virus. *Pediatrics* 42 no.5:33-36 My'63

(MIRA 16:11)

1. Iz kafedry pediatrii (zav. - prof. G.N.Speranskiy) Tsentral'nogo instituta usovershenstvovaniya na baze Detskoy bol'nitsy imeni F.E. Dzerzhinskogo (glavnyy vrach A.N.Kudryashova).

*

GALITSKIY, B.M.; GANZBURG, TS.A.; SMIRNOV, B.K., otv.red.; PEVZNER, A.S.,
zav.red.izd-va; HUDAKOVA, N.I., tekhn.red.

[Uniform time and pay standards for construction, assembly, and
repair operations in 1960] Edinye normy i rastsenki na stroi-
tel'nye, montazhnye i remontno-stroitel'nye raboty, 1960 g.
Moskva, Gos.izd-vo lit-ry po stroit., arkhitekt. i stroit.materia-
lam. Sbornik 19. [Floors] Poly. 1960. 39 p. (MIRA 13:6)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po delam
stroitel'stva. 2. Normativno-issledovatel'skaya stantsiya
Glavmosoblatroya pri Mosobliapolkome (for Ganzburg).
(Floors) (Wages)

GANZBURG, TS., inzh.; SALAGINA, L., inzh.; SHANINA, L., inzh.

The A.Ivasechko brigade of assemblers sets an example.
Na stroi. Ros. 6 no.2:18-19 F '65.

(MIRA 19:1)

GANZELKA, Irzhi [Hanzelka, Jiří]; ZIKMUND, Miroslav; BABIN, S. [translator];
NAZAROV, R. [translator]; MALININA, G., red.; KURLYKOVA, L.,
tekhn. red.

[There, beyond the river is Argentina] Tam, za rekou - Argentina.
Moskva, Izd-vo TsK VLSM "Molodaja gvardia," 1959. 428 p.

Translated from the Czech.

(MIRA 13:4)

(Argentina--Description and travel)

(Brazil--Description and travel)

ZIKMUND, Miroslav; GANZELKA, Jirži [Hanzelka, Jiri]; BABIN, S.
[translator]; NAZAROV, R. [translator]; KLYUYEVA, B.,
red.; MIKHAYLOVSKAYA, N., tekhn. red.

[Half-moon turned over] Perevernutyi polumesiats. Moskva,
Molodaia gvardiia, 1963. 341 p. (MIRA 16:8)

Abridged translation from the Czech.

(Balkan Peninsula--Description and travel)

(Near East--Description and travel)

GANZEN, G. A.

GANZEN, G. A.

"Choice of Materials for the Stone Support of Vertical Mine Pillars Applicable in Conditions of the Donets Basin." Cand Tech Sci, Moscow Mining Inst imeni I. V. Stalin, Ministry of Higher Education USSR, Moscow, 1954. (KL, No 7, Feb 55)

SO: Sum. No. 631, 26 Aug 55-Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (14)

YARMAKOV, N.I.; GANZEN, G.A., redaktor; ROMANOVA, L.A., redaktor;
PROZOROVSKAYA, V.L., tekhnicheskii redaktor; NADEINSKAYA, A.A.,
tekhnicheskii redaktor

[Principles of constructing coal preparation and briquet plants]
Osnovy sooruzheniia ugleobogatitel'nykh i briketnykh fabrik.
Moskva, Ugletekhizdat, 1954. 133 p. [Microfilm] (MLRA 8:4)
(Coal preparation) (Industrial buildings)
(Briquets (Fuel))

GANZEN, G. A.

GANZEN, G. A.

N/5
735.1
.G2

Voprosy Provedeniya Gornykh Vyrabotok (Problems of Developing Open
Pit Mining, by) G. A. Ganzen (i Dr.) Pos. Red. N. M. Petrovskogo.
Moskva, Ugletekhnizdat, 1955.
139 p. Diagra., Tables.

KORNIYENKO, Mikhail Trofimovich; GANZEN, G.A., otv.red.; ROMANOVA, L.A.,
red.isd-va; CHANTSEVA, G.M., tekhn.red.

[Principles for the construction of coal preparation and
briquetting plants] Osnovy sooruzheniia ugleobogatitel'nykh
i briketnykh fabrik. Moskva, Ugletekhizdat, 1959. 105 p.
(MIRA 12:8)

(Factories--Design and construction)

BUCHNEV, Valer'yan Konstantinovich, prof., doktor tekhn. nauk,
[deceased]; BRONNIKOV, Dmitriy Mikhaylovich, doktor tekhn.
nauk; VASIL'CHIKOV, Nikolay Vasil'yevich, kand. tekhn. nauk;
GANZEN, Georgiy Aleksandrovich; SHUSTOV, Nikolay Vasil'yevich;
FETEROVICH, Izrail' Izraylevich, inzh.; DEMIDYUK, G.P., otv.
red.; BURTSEV, L.I., otv. red.; KOROLEVA, T.I., red. izd-va;
OSVEYENKO, V.G., tekhn. red.; PROZOROVSKAYA, V.I., tekhn. red.

[Handbook on drilling boreholes in underground workings] Spravochnik po bureniu shpurov i skvazhin na podzemnykh rabotakh.
[By] V.K.Buchnev, i dr. Moskva, Gosgortekhnizdat, 1962. 271 p.

(Boring)

MIRA 15:12)

BYCHKOV, V.I.; GANZEN, S.I.

Primary cancer of the vermiform process with metastases to the
uterus and fallopian tubes. Akush. i gin. 36 no.3:111-112 My-Je
'60. (MIRA 13:12)

(UTERUS—CANCER)

(FALLOPIAN TUBES—CANCER)

(APPENDIX—CANCER)